

Twist drills DIN 338 type N HSSE-Co 5 ground in plastic box



Ø 1,0 - 10,0 mm in plastic tubes of 10
Ø 10,2 - 13,0 mm in plastic tubes of 5

Ø	mm	mm	No.	
Ø 1,0 mm	34,0 mm	12,0 mm	215 010 TX	10
Ø 1,5 mm	40,0 mm	18,0 mm	215 015 TX	10
Ø 2,0 mm	49,0 mm	24,0 mm	215 020 TX	10
Ø 2,5 mm	57,0 mm	30,0 mm	215 025 TX	10
Ø 3,0 mm	61,0 mm	33,0 mm	215 030 TX	10
Ø 3,3 mm	65,0 mm	36,0 mm	215 033 TX	10
Ø 3,5 mm	70,0 mm	39,0 mm	215 035 TX	10
Ø 4,0 mm	75,0 mm	43,0 mm	215 040 TX	10
Ø 4,2 mm	75,0 mm	43,0 mm	215 042 TX	10
Ø 4,5 mm	80,0 mm	47,0 mm	215 045 TX	10
Ø 5,0 mm	86,0 mm	52,0 mm	215 050 TX	10
Ø 5,5 mm	93,0 mm	57,0 mm	215 055 TX	10
Ø 6,0 mm	93,0 mm	57,0 mm	215 060 TX	10
Ø 6,5 mm	101,0 mm	63,0 mm	215 065 TX	10
Ø 6,8 mm	109,0 mm	69,0 mm	215 068 TX	10
Ø 7,0 mm	109,0 mm	69,0 mm	215 070 TX	10
Ø 7,5 mm	109,0 mm	69,0 mm	215 075 TX	10
Ø 8,0 mm	117,0 mm	75,0 mm	215 080 TX	10
Ø 8,5 mm	117,0 mm	75,0 mm	215 085 TX	10
Ø 9,0 mm	125,0 mm	81,0 mm	215 090 TX	10
Ø 9,5 mm	125,0 mm	81,0 mm	215 095 TX	10
Ø 10,0 mm	133,0 mm	87,0 mm	215 100 TX	10
Ø 10,2 mm	133,0 mm	87,0 mm	215 102 TX	5
Ø 10,5 mm	133,0 mm	87,0 mm	215 105 TX	5
Ø 11,0 mm	142,0 mm	94,0 mm	215 110 TX	5
Ø 11,5 mm	142,0 mm	94,0 mm	215 115 TX	5
Ø 12,0 mm	151,0 mm	101,0 mm	215 120 TX	5
Ø 12,5 mm	151,0 mm	101,0 mm	215 125 TX	5
Ø 13,0 mm	151,0 mm	101,0 mm	215 130 TX	5

Twist drills DIN 338 type N HSSE-Co 5 ground in plastic case



Ø 1,0 mm - 10,0 mm x 0,5 mm

A 215 214 RO



Ø 1,0 mm - 13,0 mm x 0,5 mm

A 215 215 RO

Twist drills DIN 338 type N HSSE-Co 5 ground in steel case




Ø 1,0 mm - 10,0 mm x 0,5 mm

A 215 214



Ø 1,0 mm - 13,0 mm x 0,5 mm

A 215 215



Twist drill magazine DIN 338 type N HSSE-Co 5 ground in steel case



5 pcs. each of Ø 1,0 - 5,0 mm x 0,5 mm
3 pcs. each of Ø 5,5 - 7,5 mm x 0,5 mm
2 pcs. each of Ø 8,0 - 10,0 mm x 0,5 mm

A 215 190



Twist drill magazine DIN 338 type N HSSE-Co 5 ground in steel case



10 pcs. each of Ø 1,0 - 6,0 mm x 0,5 mm
10 pcs. each of Ø 3,3 mm + 4,2 mm

A 215 195



Twist drill magazine DIN 338 type N HSSE-Co 5 ground in steel case



10 pcs. each of Ø 1,0 mm - 8,0 mm x 0,5 mm
5 pcs. each of Ø 8,5 mm - 10,0 mm x 0,5 mm

A 215 200



Twist drills DIN 338 type N HSS ground in plastic box



Ø 1,0 - 10,0 mm in plastic tubes of 10
Ø 10,2 - 13,0 mm in plastic tubes of 5



Ø	mm	mm	No.	
Ø 1,0 mm	34,0 mm	12,0 mm	214 010 TX	10
Ø 1,5 mm	40,0 mm	18,0 mm	214 015 TX	10
Ø 2,0 mm	49,0 mm	24,0 mm	214 020 TX	10
Ø 2,5 mm	57,0 mm	30,0 mm	214 025 TX	10
Ø 3,0 mm	61,0 mm	33,0 mm	214 030 TX	10
Ø 3,3 mm	65,0 mm	36,0 mm	214 033 TX	10
Ø 3,5 mm	70,0 mm	39,0 mm	214 035 TX	10
Ø 4,0 mm	75,0 mm	43,0 mm	214 040 TX	10
Ø 4,2 mm	75,0 mm	43,0 mm	214 042 TX	10
Ø 4,5 mm	80,0 mm	47,0 mm	214 045 TX	10
Ø 5,0 mm	86,0 mm	52,0 mm	214 050 TX	10
Ø 5,5 mm	93,0 mm	57,0 mm	214 055 TX	10
Ø 6,0 mm	93,0 mm	57,0 mm	214 060 TX	10
Ø 6,5 mm	101,0 mm	63,0 mm	214 065 TX	10
Ø 6,8 mm	109,0 mm	69,0 mm	214 068 TX	10
Ø 7,0 mm	109,0 mm	69,0 mm	214 070 TX	10
Ø 7,5 mm	109,0 mm	69,0 mm	214 075 TX	10
Ø 8,0 mm	117,0 mm	75,0 mm	214 080 TX	10
Ø 8,5 mm	117,0 mm	75,0 mm	214 085 TX	10
Ø 9,0 mm	125,0 mm	81,0 mm	214 090 TX	10
Ø 9,5 mm	125,0 mm	81,0 mm	214 095 TX	10
Ø 10,0 mm	133,0 mm	87,0 mm	214 100 TX	10
Ø 10,2 mm	133,0 mm	87,0 mm	214 102 TX	5
Ø 10,5 mm	133,0 mm	87,0 mm	214 105 TX	5
Ø 11,0 mm	142,0 mm	94,0 mm	214 110 TX	5
Ø 11,5 mm	142,0 mm	94,0 mm	214 115 TX	5
Ø 12,0 mm	151,0 mm	101,0 mm	214 120 TX	5
Ø 12,5 mm	151,0 mm	101,0 mm	214 125 TX	5
Ø 13,0 mm	151,0 mm	101,0 mm	214 130 TX	5

Twist drills DIN 338 type N HSS ground in plastic case



Ø 1,0 mm - 10,0 mm x 0,5 mm

A 214 214 RO



Ø 1,0 mm - 13,0 mm x 0,5 mm

A 214 215 RO

Twist drills DIN 338 type N HSS ground in steel case



Ø 1,0 mm - 10,0 mm x 0,5 mm

A 214 214



Ø 1,0 mm - 13,0 mm x 0,5 mm

A 214 215

Twist drill magazine DIN 338 type N HSS ground in steel case



10 pcs. each of Ø 1,0 mm - 8,0 mm x 0,5 mm
5 pcs. each of Ø 8,5 mm - 13,0 mm x 0,5 mm
10 pcs. each of Ø 3,3 mm + 4,2 mm

A 214 220



Twist drill magazine DIN 338 type N HSS ground in steel case



10 pcs. each of Ø 1,0 mm - 6,0 mm x 0,5 mm
10 pcs. each of Ø 3,3 mm + 4,2 mm

A 214 195



Twist drill set DIN 345 type N HSS in steel case



Ø 14,0 | 15,0 | 16,0 | 17,0 | 18,0 | 19,0
20,0 | 21,0 | 22,0 | 23,0 mm

A 204 001



Twist drill magazine DIN 338 type N HSS ground in plastic case



10 pcs. each of Ø 1,0 mm - 8,0 mm x 0,5 mm
5 pcs. each of Ø 8,5 mm - 10,0 mm x 0,5 mm

A 214 200 RO



Twist drill set DIN 345 type N HSS in steel case



Ø 14,0 | 16,0 | 18,0 | 20,0 | 22,0 | 24,0
25,0 | 26,0 | 28,0 | 30,0 mm

A 204 002



Twist drill magazine DIN 338 type N HSS ground in steel case



10 pcs. each of Ø 1,0 mm - 8,0 mm x 0,5 mm
5 pcs. each of Ø 8,5 mm - 10,0 mm x 0,5 mm

A 214 200



Twist drills DIN 338 type N HSS rolled in plastic box



Ø 1,0 - 10,0 mm in plastic tubes of 10
Ø 10,2 - 13,0 mm in plastic tubes of 5

Ø	mm	mm	No.	
Ø 1,0 mm	34,0 mm	12,0 mm	201 010 TX	10
Ø 1,5 mm	40,0 mm	18,0 mm	201 015 TX	10
Ø 2,0 mm	49,0 mm	24,0 mm	201 020 TX	10
Ø 2,5 mm	57,0 mm	30,0 mm	201 025 TX	10
Ø 3,0 mm	61,0 mm	33,0 mm	201 030 TX	10
Ø 3,3 mm	65,0 mm	36,0 mm	201 033 TX	10
Ø 3,5 mm	70,0 mm	39,0 mm	201 035 TX	10
Ø 4,0 mm	75,0 mm	43,0 mm	201 040 TX	10
Ø 4,2 mm	75,0 mm	43,0 mm	201 042 TX	10
Ø 4,5 mm	80,0 mm	47,0 mm	201 045 TX	10
Ø 5,0 mm	86,0 mm	52,0 mm	201 050 TX	10
Ø 5,5 mm	93,0 mm	57,0 mm	201 055 TX	10
Ø 6,0 mm	93,0 mm	57,0 mm	201 060 TX	10
Ø 6,5 mm	101,0 mm	63,0 mm	201 065 TX	10
Ø 6,8 mm	109,0 mm	69,0 mm	201 068 TX	10
Ø 7,0 mm	109,0 mm	69,0 mm	201 070 TX	10
Ø 7,5 mm	109,0 mm	69,0 mm	201 075 TX	10
Ø 8,0 mm	117,0 mm	75,0 mm	201 080 TX	10
Ø 8,5 mm	117,0 mm	75,0 mm	201 085 TX	10
Ø 9,0 mm	125,0 mm	81,0 mm	201 090 TX	10
Ø 9,5 mm	125,0 mm	81,0 mm	201 095 TX	10
Ø 10,0 mm	133,0 mm	87,0 mm	201 100 TX	10
Ø 10,2 mm	133,0 mm	87,0 mm	201 102 TX	5
Ø 10,5 mm	133,0 mm	87,0 mm	201 105 TX	5
Ø 11,0 mm	142,0 mm	94,0 mm	201 110 TX	5
Ø 11,5 mm	142,0 mm	94,0 mm	201 115 TX	5
Ø 12,0 mm	151,0 mm	101,0 mm	201 120 TX	5
Ø 12,5 mm	151,0 mm	101,0 mm	201 125 TX	5
Ø 13,0 mm	151,0 mm	101,0 mm	201 130 TX	5

Twist drill sets DIN 338 type N HSS rolled in plastic case



Ø 1,0 mm - 10,0 mm x 0,5 mm

A 205 210 RO



Ø 1,0 mm - 13,0 mm x 0,5 mm

A 205 211 RO

Twist drill sets DIN 338 type N HSS rolled in steel case



Ø 1,0 mm - 10,0 mm x 0,5 mm

A 205 210



Ø 1,0 mm - 13,0 mm x 0,5 mm

A 205 211

Twist drill magazine DIN 338 type N HSS rolled in steel case



10 pcs. each of Ø 1,0 mm - 8,0 mm x 0,5 mm
5 pcs. each of Ø 8,5 mm - 10,0 mm x 0,5 mm

A 205 200



Twist drill magazine DIN 338 type N HSS rolled in steel case



10 pcs. each of Ø 1,0 mm - 6,0 mm x 0,5 mm
10 pcs. each of Ø 3,3 mm + 4,2 mm mm

A 205 195



Twist drills DIN 338 type N HSS-TiN ground in plastic box



Ø 1,0 - 10,0 mm in plastic tubes of 10
Ø 10,2 - 13,0 mm in plastic tubes of 5



Ø	mm	mm	No.	
Ø 1,0 mm	34,0 mm	12,0 mm	250 010 TX	10
Ø 1,5 mm	40,0 mm	18,0 mm	250 015 TX	10
Ø 2,0 mm	49,0 mm	24,0 mm	250 020 TX	10
Ø 2,5 mm	57,0 mm	30,0 mm	250 025 TX	10
Ø 3,0 mm	61,0 mm	33,0 mm	250 030 TX	10
Ø 3,3 mm	65,0 mm	36,0 mm	250 033 TX	10
Ø 3,5 mm	70,0 mm	39,0 mm	250 035 TX	10
Ø 4,0 mm	75,0 mm	43,0 mm	250 040 TX	10
Ø 4,2 mm	75,0 mm	43,0 mm	250 042 TX	10
Ø 4,5 mm	80,0 mm	47,0 mm	250 045 TX	10
Ø 5,0 mm	86,0 mm	52,0 mm	250 050 TX	10
Ø 5,5 mm	93,0 mm	57,0 mm	250 055 TX	10
Ø 6,0 mm	93,0 mm	57,0 mm	250 060 TX	10
Ø 6,5 mm	101,0 mm	63,0 mm	250 065 TX	10
Ø 6,8 mm	109,0 mm	69,0 mm	250 068 TX	10
Ø 7,0 mm	109,0 mm	69,0 mm	250 070 TX	10
Ø 7,5 mm	109,0 mm	69,0 mm	250 075 TX	10
Ø 8,0 mm	117,0 mm	75,0 mm	250 080 TX	10
Ø 8,5 mm	117,0 mm	75,0 mm	250 085 TX	10
Ø 9,0 mm	125,0 mm	81,0 mm	250 090 TX	10
Ø 9,5 mm	125,0 mm	81,0 mm	250 095 TX	10
Ø 10,0 mm	133,0 mm	87,0 mm	250 100 TX	10
Ø 10,2 mm	133,0 mm	87,0 mm	250 102 TX	5
Ø 10,5 mm	133,0 mm	87,0 mm	250 105 TX	5
Ø 11,0 mm	142,0 mm	94,0 mm	250 110 TX	5
Ø 11,5 mm	142,0 mm	94,0 mm	250 115 TX	5
Ø 12,0 mm	151,0 mm	101,0 mm	250 120 TX	5
Ø 12,5 mm	151,0 mm	101,0 mm	250 125 TX	5
Ø 13,0 mm	151,0 mm	101,0 mm	250 130 TX	5

Twist drills DIN 338 type N HSS-TiN ground in plastic case



Ø 1,0 mm - 10,0 mm x 0,5 mm

A 250 214 TRO



Ø 1,0 mm - 13,0 mm x 0,5 mm

A 250 215 TRO

Twist drills DIN 338 type N HSS-TiN ground in steel case



Ø 1,0 mm - 10,0 mm x 0,5 mm

A 250 214 T



Ø 1,0 mm - 13,0 mm x 0,5 mm

A 250 215 T

Twist drills magazine DIN 338 type N HSS-TiN ground in plastic case



10 pcs. each of Ø 1,0 mm - 8,0 mm x 0,5 mm

5 pcs. each of Ø 8,5 mm - 10,0 mm x 0,5 mm

A 250 200 RO



57 TWIST DRILL 3IN1BOX tfg./pcs. Content each box:

1X Twist drill set HSSE-Co 5 in plastic case
19 tfg./pcs. HSSE Co 5 Ø 1,0 mm - 10,0 mm x 0,5 mm

+ 1X Twist drill set HSS-TiN in plastic case
19 tfg./pcs. HSS-G TIN Ø 1,0 mm - 10,0 mm x 0,5 mm

+ 1X Twist drill set HSS in plastic case
19 tfg./pcs. HSS-G Ø 1,0 mm - 10,0 mm x 0,5 mm

A 131 011

